#99313 - TD-12,383 - 11/25/63

R 8 E



STATE OF LOUISIANA
J. E. CHANCE
REG. NO. 3399
REGISTERED
PROFESSIONAL ENGINEER
IN
CIVIL ENGINEERING

RECEIVED
OCT 15 1963
DEPARTMENT OF CONSERVATION
LAFAYETTE, LOUISIANA

#099313

I, John E. Chance, hereby certify that the location of J. P. Owen et al's *Homer Gonsoulin No. 1* is as follows: N 30° 39'E 3641.1' and N59°21'W 167.3' from the most Southerly corner of Section 68, T13S-R8E, St. Mary Parish, Louisiana.

John E Chance

REGISTERED CIVIL ENGINEER NO. 3399
STATE OF LOUISIANA
JOHN E. CHANCE & ASSOCIATES, INC.

LOUISIANA DEPT. OF CONSERVATION

J. P. OWEN ET AL

PERMIT PLAT

ST. MARY PARISH, LOUISIANA

SCALE: 1" = 1000'

OCT. 9, 1963

J. P. (JIMMIE) OWEN
P. O. BOX 1423
OIL CENTER STATION
LAFAYETTE, LOUISIANA

October 14, 1963

Louisiana Department of Conservation
Box 1285, OCS
Lafayette, Louisiana

Re: J. P. Owen et al, Homer Gonsoulin No. 1
Jeanerette Field, St. Mary Parish, La.

Gentlemen:

Enclosed herewith are two copies of our application for permit to drill the above subject well, together with our draft in the amount of $100.00 and two copies of the location plat.

Very truly yours,

J. P. OWEN

H. E. Williams
Land Manager

HEW:mc

Encl.

cc: Scott Road office w/attachments

RECEIVED
OCT 15 1963
TION
LAFAYETTE, LOUISIANA

State of Louisiana

DEPARTMENT OF CONSERVATION

Inter Office

Date: October 21, 1963

To: Mr. T. M. Winfiele

From: Mr. Frank J. Fava, Jr.

Att'n: Mr. T. M. Winfiele

Enclosed herewith please find application from J. P. Owen et al for permit to drill their Homer Gonsoulin #1 Zone: , Jeanerette Field, St. Mary Parish.

Also enclosed please find:

Check No. _____ in the amount of $ 100.00

Well Location Plat X

Well Location Certification _____

Form A. D. C. _____

Electric Log _____

Schematic Diagram _____

Applicable Department of Conservation Order No. 29B & 29E Pending Hearing _____ Docket No.

Remarks & Recomendations:

Routine.

FJF:mlb

Encls.

Yours very truly,

By: _____
District Manager

cc: Geological Survey

LT-1

State of [illegible]

DEPARTMENT OF CONSERVATION

Bureau Office

[illegible]

[illegible]

[illegible]

[illegible]

[illegible] for permit to

[illegible]

[illegible]

Acid [illegible] drilling fluid

[illegible]

Location Plat

N U Location Certificate

[illegible] A. D. C.

Electric Log

Schematic Diagram

[illegible]

[illegible] & Recommendations:

Supervisor

Engineer

By

Geological Survey

T-1

FORM MD-3-R

DISTRICT OFFICE COPY

No. 83903

STATE OF LOUISIANA
DEPARTMENT OF CONSERVATION

PERMIT $100.00
MULTIPLE ZONE PROCESSING

PERMIT TO DRILL FOR MINERALS

SERIAL NO.: 99313 BATON ROUGE, LA., 10-22-63, 19

PARISH: St. Mary FIELD: Jeanerette

OPERATOR: J. P. Owen et al

ADDRESS: P.O. Box 1423 OCS
Lafayette, Louisiana

WELL NAME: Homer Consoulin NO.: 1

LOCATION OF WELL: SEC. 68 T. 13S R. 8E
N. 30°39'E 3641.1' and N 59°21'W 167.3' from S/ly corner of Sec. 68

ZONE OR RESERVOIR OF PROPOSED COMPLETION: Miocene 14,000'

APPLICABLE DEPARTMENT OF CONSERVATION ORDER: 29B 29E

James H. Gill
COMMISSIONER

Fred L. Emmanuel Jr. Mgr.
ISSUING AUTHORITY

DEPARTMENT OF CONSERVATION
STATE OF LOUISIANA

AFFIDAVIT OF TEST OF CASING IN WELL

DATE WORK DONE Oct. 22nd, 1963., WELL SERIAL NO. 99313
WORK PERMIT NO. _____

Lafayette DISTRICT
(One copy to be filed with the District Office)

NOTE: This Report Will Be Returned If Not Properly Completed And Signed.

Field Jeanerette Parish St. Mary Sec. 68 Twp. 13S Rge. 8E

Company J.P. Owen et al. Lease Homer Gonsoulin Well No. 1

Size of casing 10-3/4 Weight 40.5 Make National

No. of threads per in. 8 thrd Grade J-55 Seamless x New [x] 2nd [ ]

If second hand, was pipe tested _____ Describe _____

Depth casing shoe landed below derrick floor 2044 Ft. ___ Sacks of cement 912

Size of hole 15 Ins. ___ Amount of cement left in pipe 40

Method of cementing ~~Dow~~ Western. Cement set in 12 hrs., under 500 psig.

Total depth 2044. Total time set 24 hrs.

DETAIL OF PRESSURE TEST BEFORE DRILLING PLUG

Date of test 10-23-63. Gauge pressure of casing 1500 psig.

Pressure at end of 30 minutes 1500 Pressure drop none psig.

Test fluid: Water [x] Mud [ ] Weight 9.3 Viscosity 38

Remarks: _____

This work was done according to the Rules and Regulations of the Department of Conservation.

W. Hayne
WITNESS

J. P. OWEN.
COMPANY

OCT 24 1963

(Signed) R. T. Bowen
REPRESENTATIVE

Form - Csg. T

DATE WORK DONE

(One copy to be filed with

NOTE: This form W

Field

Company

Size of casing

No. of shields per

If second band, was

Lead casing

Size of bolt

Method of cement

Total depth

DETAILS

Date of test

Pressure at end of

Test fluid: Water

Remarks

This work was done

WITNESS

Form - Cag. 3

DEPARTMENT OF CONSERVATION
STATE OF LOUISIANA

AFFIDAVIT OF TEST OF CASING IN WELL

DATE WORK DONE Nov. 17th, 1963.

WELL SERIAL NO. 99313
WORK PERMIT NO. _____

Lafayette DISTRICT
(One copy to be filed with the District Office)

NOTE: This Report Will Be Returned If Not Properly Completed And Signed.

Field Jeanerette Parish St. Mary Sec. 68 Twp. 13S Rge. 8E

Company J. P. OWEN ET AL. Lease Homer Gonsoulin Well No. 1

Size of casing 7" Weight 23 to 32 # Make National

No. of threads per in. _____ Grade N-80 Seamless x New [ ] 2nd [x]

If second hand, was pipe tested yes Describe _____

Depth casing shoe landed below derrick floor 11474 Ft. Sacks of cement 760

Size of hole _____ Ins. _____ Amount of cement left in pipe 30

Method of cementing Western Cementing Cement set in 6 hrs., under 500 psig.

Total depth 11474. Total time set 12 hrs.

DETAIL OF PRESSURE TEST BEFORE DRILLING PLUG

Date of test 11-17-63. Gauge pressure of casing 1000# psig.

Pressure at end of 30 minutes 1,000# Pressure drop none psig.

Test fluid: Water [x] Mud [ ] Weight 14.5 Viscosity 54

Remarks: _____

This work was done according to the Rules and Regulations of the Department of Conservation.

R. T. Bowen
WITNESS

J. P. OWEN
COMPANY

(Signed) W. P. Owen
REPRESENTATIVE

RECEIVED NOV 19 1963 DEPARTMENT OF CONSERVATION LAFAYETTE, LOUISIANA

Form - Csg. T

DATE ISSUED 10-22-63

CONTRACT DEPTH _____ NEW WELL X

DRLG. CONTRACTOR _____ WORK OVER _____

EXPIRED _____

PARISH St. Mary RENEWED _____

FIELD Jeanerette FINAL EXP. _____

SERIAL No. 99313 SEC. 68 TWP. 13S R. 8E

LOCATION OF WELL _____

EL 12/12/63

WH 12/11/63

COMPANY J. P. Owen et al

LEASE Homer Gonsoulin WELL No. 1

DATE SPUDDED IN 10-20-63, 19

CASING SET:

Conductor _____ Intermediate _____

Surface _____ Oil String _____

WORK PERMITS ISSUED ON THIS WELL

Date	Permit	Date	Permit	Date	Permit

Date	Condition of Well	Total Depth
Oct 31	Set 70' 16" Condr pipe w/50 sx cmt; Rlsd 10 3/4" csg set at 3044'; Dw/912 sx cmt; drlg in sandy shale	~~7670~~ 7682
Nov 7	Shale; Making trip to survey.	10043
" 14	Coming out of hole to log	11466
" 21	Shale.	11857
" 27	Plugged + Abandoned.	

MINERALS DIVISION
DEPARTMENT OF CONSERVATION
STATE OF LOUISIANA

WORK PERMIT

PERMIT TO Plug & Abandon DATE 12-3-63

PARISH St. Mary FIELD Jeanerette

COMPANY J. P. Owen et al

ADDRESS P O Box 1423-OCS; Lafayette, La.

WELL NAME Homer Gonsoulin No. 1 SEC 68 T 13S R 8E

WELL PERMIT SERIAL No 99313 WORK PERMIT No Abd.L#348

LOCATION

YOU ARE HEREBY AUTHORIZED TO Plug from 1850' to 2150' cmt w/105 sx cmt top plug w/15 sx & weld plate on top.

TD 12383

PERMIT REQUESTED BY R. T. Bowen
Company Representative

AUTHORIZED BY

Lafayette
District Office

Form DM-4R

DEPARTMENT OF CONSERVATION
STATE OF LOUISIANA

PLUG AND ABANDON REPORT

DATE WORK DONE Nov. 25th, 1963

WELL SERIAL NO. 99313
WORK PERMIT NO. _____

Lafayette DISTRICT
(Three Copies to be Filed with the District Office)

NOTE: This Report Will Be Returned If Not Properly Completed And Signed.

Field Jeanerette Parish St. Mary Sec. 68 Twp. 13S Rge. 8E

Company J. P. Owen et al. Lease Homer Gonsoulin Well No. 1

Total Depth 12383 Condition of Well dry hole

1. Surface Casing Size 10-3/4 Depth 2044 Amount Pulled 0
2. Protection Casing Size 7" Depth 11474 Amount Pulled 2,000'
3. Production Casing Size _____ Depth _____ Amount Pulled _____

CEMENT PLUGS

1. Depth 1850 To 2150 No. of Sacks 105 How Placed Halliburton
2. Depth top To 20' No. of Sacks 15 How Placed by hand
3. Depth _____ To _____ No. of Sacks _____ How Placed _____

Mud Record: Weight 15.6 Viscosity 52

Remarks: _____

This work was done according to the Rules and Regulations of the Department of Conservation.

WITNESS

J. P. OWEN
COMPANY

(Signed) R. T. Bowen
REPRESENTATIVE

Form - P & A

NOV 27 1963
DEPARTMENT OF CONSERVATION
LAFAYETTE

MINERALS DIVISION
DEPARTMENT OF CONSERVATION
STATE OF LOUISIANA

WORK PERMIT

PERMIT TO Plug & Abandon DATE 12-6-63
PARISH St. Mary FIELD Jeanerette
COMPANY J. P. Owen et al
ADDRESS P O Box 1423-DCR; Lafayette, La.
WELL NAME Homer Consualin No. 1 SEC. 68 T. 13S R. 8E
WELL PERMIT SERIAL No. 99313 WORK PERMIT No. Abd.L#361
LOCATION

YOU ARE HEREBY AUTHORIZED TO Plug from 1850' to 2150' cmt w/105 sx cmt top plug w/15 sx & weld plate on top.

PERMIT REQUESTED BY R. T. Vavon TD 12383
Company Representative

AUTHORIZED BY

District Office Lafayette

Form DM-4R

DEPARTMENT OF CONSERVATION
STATE OF LOUISIANA

PLUG AND ABANDON REPORT

DATE WORK DONE Nov. 25th, 1963

WELL SERIAL NO. 99313
WORK PERMIT NO. _____

Lafayette DISTRICT
(Three Copies to be Filed with the District Office)

NOTE: This Report Will Be Returned If Not Properly Completed And Signed.

Field Jeanerette Parish St. Mary Sec. 68 Twp. 13S Rge. 8E

Company J. P. Owen et al Lease Homer Gonsoulin Well No. 1

Total Depth 12383 Condition of Well dry hole

1. Surface Casing Size 10-3/4" Depth 2044 Amount Pulled 0
2. Protection Casing Size 7" Depth 11474 Amount Pulled 2000'
3. Production Casing Size _____ Depth _____ Amount Pulled _____

CEMENT PLUGS

1. Depth 1850 To 2150 No. of Sacks 105 How Placed Western
2. Depth top To 20' No. of Sacks 15 How Placed by hand
3. Depth _____ To _____ No. of Sacks _____ How Placed _____

Mud Record: Weight 15.6 Viscosity 52

Remarks: _____

This work was done according to the Rules and Regulations of the Department of Conservation.

_____
WITNESS

J. P. OWEN.
COMPANY

(Signed) R. T. Bowen.
REPRESENTATIVE

Form - P & A

DEPARTMENT OF CONSERVATION

WELL HISTORY AND WORK RESUME REPORT

FIELD: Jeanerette

SERIAL NO.: 99313

PRODUCING INTERVAL:

RESERVOIR (COMPANY SAND IDENTIFICATION):

Three typewritten copies of this report must be filed with the District Office of the Department of Conservation in which the well is located within twenty (20) days of the date of completion or recompletion. NOTE: If not properly completed and signed, this report will be returned.

LEASE AND WELL DATA

DESIGNATE TYPE OF COMPLETION: NEW WELL ☐ RECOMPLETION ☐ SAME RESERVOIR ☐ DIFFERENT RESERVOIR ☐ OIL ☐ GAS ☐ P&A ☒

OPERATOR: J. P. OWEN ET AL.	ADDRESS: P.O. Box 1423 O.C.S. LAFAYETTE LA.
LEASE NAME: Homer Gonsoulin	WELL NO.: 1
PARISH: St. Mary	SEC. 68 TWP. 13S RGE. 8E
DATE PERMIT ISSUED: 10-22-63.	
DATE SPUDDED: 10-20-63	TOTAL DEPTH: 12383
PBTD:	
GROUND ELEVATION: 10.3	CASING HEAD FLANGE ELEVATION:
DISTANCE FROM RKB TO CHF:	
DATE WELL TURNED INTO TANKS:	SINGLE, DUAL OR TRIPLE COMPLETION?: single
NOTE: IF THIS IS A MULTIPLE COMPLETION, FURNISH A SEPARATE REPORT FOR EACH COMPLETION	
WAS WELL DIRECTIONALLY DRILLED?	WAS DIRECTIONAL SURVEY MADE?
WERE 3 COPIES FILED WITH THE DEPARTMENT OF CONSERVATION?	DATE FILED
TYPE OF ELECTRICAL OR OTHER LOGS RUN (CIRCLE LOGS FILED WITH DEPT. OF CONSERVATION)	DATE FILED

CASING, LINER AND TUBING RECORD

CASING SIZE	HOLE SIZE	CASING WEIGHT	DEPTH SET	SACKS CEMENT	TEST PRESSURE	HRS. UNDER PRESSURE	DATE TESTED	NAME OF TEST WITNESS - STATE IF DEPT. AGENT OR OFFSET OPR.
10-3/4		40.5	2044	912	1500	12	10/23/63	
7"	23	to 32#	11474	760	1000	12	11/17/63	

TUBING SIZE: DEPTH OF TUBING: DEPTH OF PACKER (S):

INITIAL COMPLETION OR RE-COMPLETION DATA

INITIAL PRODUCTION BOPD	GAS VOLUME MCF/DAY	CHOKE SIZE	WELL STATUS
TUBING PRESSURE psig	CASING PRESSURE psig	GOR	BS & W %
BHP - (SHUT-IN) psi			
GRAVITY °API@60°F	CONSERVATION AGENT MAKING GAUGE	COMPANY REPRESENTATIVE	DATE GAUGED

PLUG AND ABANDON (P&A) DATA

CASING SIZE	AMOUNT PULLED	CEMENT PLUGS FROM	TO	SACKS	HOW PLACED	DATE WORK PERFORMED	NAME OF TEST WITNESS - STATE IF DEPT. AGENT OR OFFSET OPR.
7"	2000'	1850	2150	105	Halliburton	11/25/63	
10-3/4	0	top	20'	15	by hand	11/25/63	
		welded a plate on top of casing.					

RECEIVED DEC 11 1963 CONSERVATION LAFAYETTE, LOUISIANA

CERTIFICATE: I, the undersigned, state: That I am employed by J. P. Owen and that I am authorized to make this report, and that this report was prepared under my supervision and direction and that all facts stated herein are true, correct and complete to the best of my knowledge.

Signature: R. T. Bowen Title: Production Clerk.

Form WH

WORK RESUME

List below all work performed under Department of Conservation Work Permits while drilling and completing well.

WORK PERMIT NO.	DATE WORK PERFORMED	SERVICE COMPANY	DESCRIPTION OF WORK
Abd I#348	12/3/63	Western	Plug from 1850' to 2150' with 105 sacks cement, top plug with 15 sacks cement & weld plate on casing.

List below all important Paleofaunal or Geological Formation tops, Cap Rock and Salt tops and Salt Overhang bottoms.

FORMATION	DEPTH	FORMATION	DEPTH