



Department of Conservation  
MINERALS DIVISION

WELL HISTORY AND WORK RESUME REPORT

FIELD

Jeanerette (WC)

SERIAL NO.

72005

PRODUCING INTERVAL

NA

RESERVOIR (COMPANY SAND IDENTIFICATION)

NA

Three typewritten copies of this report must be filed with the District Office of the Department of Conservation in which the well is located within twenty (20) days of the date of completion or recompletion. NOTE: If not properly completed and signed, this report will be returned.

LEASE AND WELL DATA

DESIGNATE TYPE OF COMPLETION: NEW WELL  RECOMPLETION  SAME RESERVOIR  DIFFERENT RESERVOIR  OIL  GAS  P&A

OPERATOR

Pan American Petroleum Corporation

ADDRESS

P. O. Box 583 - Lafayette, Louisiana

LEASE NAME

A. Moresi Co. Ltd

WELL NO.

1

PARISH

St. Mary

SEC.

68

TWP.

13S

RGE.

8E

DATE PERMIT ISSUED

September 11, 1958

DATE SPUNDED

October 6, 1958

TOTAL DEPTH

13,222

PBTD

N.A.

GROUND ELEVATION

NA

CASING HEAD FLANGE ELEVATION

NA

DISTANCE FROM RKB TO CHF

NA

DATE WELL TURNED INTO TANKS

Dry Hole

SINGLE, DUAL OR TRIPLE COMPLETION?

Dry Hole

NOTE: IF THIS IS A MULTIPLE COMPLETION, FURNISH A SEPARATE REPORT FOR EACH COMPLETION

WAS WELL DIRECTIONALLY DRILLED?

No

WAS DIRECTIONAL SURVEY MADE?

No

WERE 3 COPIES FILED WITH THE DEPARTMENT OF CONSERVATION?

No

DATE FILED

-

TYPE OF ELECTRICAL OR OTHER LOGS RUN (CIRCLE LOGS FILED WITH DEPT. OF CONSERVATION)

E. Log

DATE FILED

2-18-59

CASING, LINER AND TUBING RECORD

CASING SIZE	HOLE SIZE	CASING WEIGHT	DEPTH SET	SACKS CEMENT	TEST PRESSURE	HRS. UNDER PRESSURE	DATE TESTED	NAME OF TEST WITNESS - STATE IF DEPT. AGENT OR OFFSET OPR.
18"	22"	48.2	121	180	NA	NA	NA	-
10-3/4"	15"	40.5/45.5	5030	2200	1500	1/2	10/15/58	D. Aycock
7"	9-7/8"	23/26	12003	500	1500	1/2	12/21/58	D. Aycock

TUBING SIZE:

None

DEPTH OF TUBING:

None

DEPTH OF PACKER (S):

None

INITIAL COMPLETION OR RE-COMPLETION DATA

INITIAL PRODUCTION	GAS VOLUME		CHOKE SIZE		WELL STATUS
BOPD	MCF/DAY				
TUBING PRESSURE	CASING PRESSURE	GOR	BS & W	BHP - (SHUT-IN)	
psig	psig		%	psi	
GRAVITY	CONSERVATION AGENT MAKING GAUGE		COMPANY REPRESENTATIVE		DATE GAUGED
*API@60°F					

PLUG AND ABANDON (P&A) DATA

CASING SIZE	AMOUNT PULLED	CEMENT PLUGS				DATE WORK PERFORMED	NAME OF TEST WITNESS - STATE IF DEPT. AGENT OR OFFSET OPR.
		FROM	TO	SACKS	HOW PLACED		
7"	5017	11960	11440	100	Halliburton	1/18/59	J. A. Guthrie
		5130	4930	100	"	1/18/59	" " "
		60	10	25	"	1/18/59	" " "

CERTIFICATE: I, the undersigned, state: That I am employed by Pan Amer. Petr. Corp. and that I am authorized to make this report, and that this report was prepared under my supervision and direction and that all facts stated herein are true, correct and complete to the best of my knowledge.


Form WH

Signature:

*Jack Mahan Jr.*

Title:

Field Engineer



WORK RESUME

List below all work performed under Department of Conservation Work Permits while drilling and completing well.

WORK PERMIT NO.	DATE WORK PERFORMED	SERVICE COMPANY	DESCRIPTION OF WORK
PB, S. I#44			Set 200 sx cmt plug 10987' to 11400'. Sidetrack at 11222 because of junk in hole.

List below all important Paleofaunal or Geological Formation tops, Cap Rock and Salt tops and Salt Overhang bottoms.

FORMATION	DEPTH	FORMATION	DEPTH
Miocene	7046'		

# PAN AMERICAN PETROLEUM CORPORATION

P. O. Box 1166, Oil Center Station  
Lafayette, Louisiana  
September 5, 1958

File: RMD-2151-WF-T

Re: Application for Permit to Drill  
The A. Moresi Co., Ltd., Well No. 1  
Jeanerette Wildcat, St. Mary Parish,  
Louisiana

Mr. Frank J. Fava, Jr., District Manager (2)  
Louisiana Department of Conservation  
P. O. Box 1285, Oil Center Station  
Lafayette, Louisiana

Dear Sir:

Attached in duplicate are Form MD-10-R, Application for Permit to Drill, and Well Location Certification, as well as Location Plat in triplicate, for our A. Moresi Co., Ltd., Well No. 1, Jeanerette Wildcat, St. Mary Parish, Louisiana.

Also attached is our Draft No. 4800 for fifty dollars (\$50.00) to cover this application.

Please contact us should you require other information regarding this application.

Yours very truly,

PAN AMERICAN PETROLEUM CORPORATION

*R. M. Darling*  
R. M. DARLING  
DISTRICT SUPERINTENDENT

Attachments



STATE OF LOUISIANA  
MINERALS DIVISION  
DEPARTMENT OF CONSERVATION

WELL LOCATION CERTIFICATION

I, ROSS STEELE, JR. hereby certify that the location  
of (operator) PAN AMERICAN PETROLEUM CORPORATION

A. MOREST. CO., LTD. Well No. 1  
Field, St. Mary Parish,

Louisiana, has been staked under my supervision as follows:

From the Southeast corner of Section 68, Township 13  
South, Range 8 East, go 5300 feet Northwest along the  
Southwest line, thence Northeast at right angles 800  
feet to location in

Sec. 68 T. 13 S R. 8 E

Dated: Sept. 5, 1958

Signed   
Registered Land Surveyor

ROSS STEELE, JR.

State of Louisiana  
Employee of Pan American  
Petroleum Corporation

ROSS STEELE, JR.

REG. No. 205  
REGISTERED

LAND SURVEYOR

RECEIVED

SEP 8 1958

DEPARTMENT OF CONSERVATION  
MINERALS DIVISION

LAFAYETTE, LOUISIANA

Sec. 58

George Roper

Mrs. A.H. Holleman

A. Matthews

A. R. Eves

Sec. 68

Pt. 182-217A  
Alphonse Conner PAN AM  
Edgar Conner

Bernard Trappy

Marie Hebert

T  
13  
S  
R  
8  
E

Mrs. Bessie B. Tobin  
PAN AM 1/2 AUSTRAL 1/2  
159972  
161.39 Acres

Earle Trimble

B. F. Trappy

Sara Decuir

Sara Decuir

A. Moresi Co. Ltd.  
PAN AM Pt. 182-220  
33.25 ACP.

Clarence A. Hertel

Bernard Trappey

A. P. Moresi Co.  
41.75 Ac.

Mrs. Septima Retiffits  
150 Ac

Joe Preston  
159768 A-B  
PAN AM

Sec. 69

Wm. P. Foster

Jos. F. Kramer

5300.0'

Wade Gajon  
PAN AM 159802

N

STATE OF LOUISIANA  
A. P. Moresi Co.  
PAN AM Pt. 182-220  
24.9 ACP.

ROSS STEELE, JR.  
REG. No. 205  
REGISTERED

#072005

SEC. SEC. 68

70

34  
71

Registered Surveyor

RECEIVED

36

PAN AMERICAN PETROLEUM CORPORATION  
LOCATION PLAT

A. Moresi Co. Ltd. Well No. 1 Sec. 68 - T 13 S-R 8 E  
JEANERETTE DOME AREA - ST. MARY PH., LA.

SEP 9 1954  
DEPARTMENT OF CONSERVATION  
MINERALS DIVISION  
SCALE = 1000'  
DRAWN BY F. L. D.  
PAT 925-58

September 10, 1958

Mr. T. M. Winfield, Chief Engineer  
Minerals Division  
Baton Rouge, Louisiana

Dear Mr. Winfield,

Enclosed herewith please find application from Pan American Petroleum Corporation for permit to drill their The A. Moresi Company, Ltd. #1, Jeanerette Field, St. Mary Parish.

Enclosed also is draft No. 4800 for \$50.00 together with well location plat.

Yours very truly,

Frank J. Fava, Jr., Manager  
Lafayette District

FJF:mll

Encls.

September 19, 1951

Mr. J. M. Winkler, Chief Engineer  
Michigan Division  
Detroit, Michigan  
Dear Mr. Winkler:

Enclosed herewith please find a copy of  
the report prepared for the Bureau of  
Aircraft Dynamics, Ltd., regarding the  
test of the engine in question.  
The report also contains a copy of the  
test results.

Very truly yours,  
Director

10/1/51  
10/1/51

R.M. Darling

DISTRICT OFFICE COPY

\$50.00

N<sup>o</sup> 56582

DEPARTMENT OF CONSERVATION

PERMIT TO DRILL FOR MINERALS

BATON ROUGE, LA, September 11, 19 58

PARISH St. Mary FIELD Neenerette

OPERATOR Pan American Petroleum Corporation

ADDRESS Box 1166, Oil Center Station, Lafayette, La.

LOCATION OF WELL From Southeast Corner of Sec. 68-138-8E, go 5300' Northwest along the Southwest Line thence Northeast at Right angles 800' to location in Section 68

Sec. 68, T. 138, R. 8E

You are hereby authorized to drill The A. Moresi Co., Ltd.

Well No. 1, referred to under application bearing serial No. 72005

dated 9/5/58, 1958, signed by \_\_\_\_\_

This well to be drilled to 14,000' zone on surface area of \_\_\_\_\_ acres

DRILLING CONTRACTOR \_\_\_\_\_

Lafayette 15

STATE OF LOUISIANA  
DEPARTMENT OF CONSERVATION

Commissioner, Department of Conservation

Authorized Co-Signer

DEPARTMENT OF CONSERVATION  
STATE OF LOUISIANA

AFFIDAVIT OF TEST OF CASING IN WELL

DATE WORK DONE 10/13/58

WORK PERMIT NO. \_\_\_\_\_  
WORK SERIAL NO. 72005

Lafayette, Louisiana

(One copy to filed with the District Office.)

NOTE:

THIS REPORT WILL BE RETURNED IF NOT PROPERLY FILLED IN AND SIGNED

PARISH St. Mary FIELD Jeanerette SEC 68 TWP 13 SRGE 8E

Pan American  
COMPANY Petroleum Corporation LEASE A. Moursi Co. Ltd. WELL NO. 1

TOTAL DEPTH of Csg. 5030 - TD of well 5050

SIZE OF CASING 10-3/4 IN.WT. PER FT. 45.5 - 40.5 MAKE Lone Star

NO. OF THREADS PER IN. 8 GRADE J 55 SEAMLESS Yes NEW X 2ND

IF SECOND HAND, WAS PIPE TESTED \_\_\_\_\_ DESCRIBE \_\_\_\_\_

DEPTH LANDED BELOW DERRICK FLOOR 17.50 FT. SACKS OF CEMENT 2200

SIZE OF HOLE 15" IN.: AMOUNT OF CEMENT LEFT IN PIPE 64

METHOD OF CEMENTING Halliburton CEMENT SET 12 HOURS UNDER 500 LBS.

PRESSURE \_\_\_\_\_ TOTAL TIME SET 36 HOURS.

DETAIL OF PRESSURE TEST BEFORE DRILLING PLUG

DATE OF TEST 10-15 19 58. GUAGE PRESSURE OF CASING 1500 LBS.

PRESSURE AT END OF 30 MINUTES 1500# DROP \_\_\_\_\_ LBS.

TEST FLUID: WATER \_\_\_\_\_ MUD 10 LBS. PER GAS: VISCOSITY 40 SEC.

REMARKS: Tested 10" BOP Equip. with 5000# Water Press.

THIS WORK WAS DONE ACCORDING TO THE RULES AND REGULATIONS OF THE DEPARTMENT OF CONSERVATION,  
MINERALS DIVISION.

SIGNED \_\_\_\_\_

COMPANY

WITNESS: Dewey Aycock

REPRESENTATIVE

FORM, Gsg (T) MD-16

**RECEIVED**  
OCT 20 1958  
DEPARTMENT OF CONSERVATION  
MINERALS DIVISION  
LAFAYETTE, LOUISIANA

MINERALS DIVISION  
DEPARTMENT OF CONSERVATION  
STATE OF LOUISIANA

WORK PERMIT

PERMIT TO Plugback & Sidetrack DATE 12-10-58  
PARISH St. Mary FIELD Jeanrette (W.C.)  
COMPANY Pan American Petroleum Corp.  
ADDRESS P O Box 583 Lafayette, La.  
WELL NAME A. Moresi Co. Ltd. No 1 SEC 68 T 13S R 8E  
WELL PERMIT SERIAL No 72005 WORK PERMIT No Pb.S.L.#44  
LOCATION \_\_\_\_\_

YOU ARE HEREBY AUTHORIZED TO Set 200 sx cmt plug 10987'  
to 11400'. Sidetrack at 11222' because of junk  
in hole.

PERMIT REQUESTED BY Jack Mahan, Jr. TD 12000'  
Company Representative

AUTHORIZED BY \_\_\_\_\_

Lafayette  
District Office

DEPARTMENT OF CONSERVATION  
STATE OF LOUISIANA

AFFIDAVIT OF TEST OF CASING IN WELL

DATE WORK DONE 12-21-58

WELL SERIAL NO. 72005

WORK PERMIT NO. \_\_\_\_\_

Lafayette DISTRICT  
(One copy to be filed with the District Office)

NOTE: This Report Will Be Returned If Not Properly Completed And Signed.

Field Jeanerette Parish St. Mary Sec. 68 Twp. 13-S Rge. PE

Company Pan American Pet. Corp. Lease A. Mousi Co. Ltd Well No. 1

Size of casing 7" Weight 26# + 23# Make H.O. Smith & National

No. of threads per in. 8 Grade N-80 + S-95 Seamless  New  2nd

If second hand, was pipe tested \_\_\_\_\_ Describe \_\_\_\_\_

Depth landed below derrick floor 1198.5 Ft. Sacks of cement 500 5X.

Size of hole 9 7/8" Ins. Amount of cement left in pipe 47'

Method of cementing Halliburton Cement set in 1 1/2 hrs., under 1000 psig.

Total depth 12000 Total time set 68 hrs.

DETAIL OF PRESSURE TEST BEFORE DRILLING PLUG

Date of test. 12-22-58 Gauge pressure of casing 1500 psig.

Pressure at end of 30 minutes 1500 Pressure drop None psig.

Test fluid: Water  Mud  Weight 13.4 Viscosity 52

Remarks: mud was displaced in B.O.P.'s with water for test.

This work was done according to the Rules and Regulations of the Department of Conservation.

D. Aycock  
WITNESS

Pan American Pet. Corp.  
COMPANY

(Signed)

J. A. [Signature]  
REPRESENTATIVE  
DEC 30  
DEPARTMENT OF CONSERVATION

DEPARTMENT OF CONSERVATION  
STATE OF LOUISIANA

-PLUG AND ABANDON RECORD-

Abd. L #12

DATE WORK DONE 1-18-59

WORK PERMIT NO. ~~72005~~  
WELL SERIAL NO. 72005

Lafayette

(Three copies to be filed with the District Office.)

NOTE: THIS REPORT WILL BE RETURNED IF NOT PROPERLY FILLED IN AND SIGNED.

PARISH ST. MARY FIELD LEANNERETTE (w.c.) SEC. 68 TWP 13 SRGE 8E

COMPANY PAN-AMERICAN PET. LEASE A. MORESI CO. LTD. WELL NO. 1

TOTAL DEPTH 13,222 CONDITION OF WELL Dry hole hit Salt  
Water flow & Cemented same on Bottom

- 1. SURFACE CASING (SIZE) 10 3/4 DEPTH 5022 AMOUNT PULLED NONE
- 2. PROTECTION CASING SIZE 7" DEPTH 12,003 AMOUNT PULLED 5017.
- 3. PRODUCTION CASING (SIZE) NONE DEPTH NONE AMOUNT PULLED NONE

-CEMENT PLUGS-

- 1. DEPTH 11,960 TO 11,440 NO. OF SACKS 100 HOW PLACED HALLIBURTON
- 2. DEPTH 5130 TO 4930 NO. OF SACKS 100 HOW PLACED HALLIBURTON
- 3. DEPTH 60 TO 10 NO. OF SACKS 25 HOW PLACED HALLIBURTON

MUD RECORD WEIGHT 13.6 VISCOSITY 47

REMARKS: \_\_\_\_\_

THIS WORK WAS DONE ACCORDING TO THE RULES AND REGULATIONS OF THE DEPARTMENT OF CONSERVATION.

Witnessed by J. A. Guthrie  
Inspector \_\_\_\_\_ DISTRICT

SIGNED Pan American Pet Corp.  
COMPANY

Robert W. Cohen

Form  
Abd—MD1

RECEIVED  
JAN 22 1959  
DEPARTMENT OF CONSERVATION  
MINERALS DIVISION  
LAFAYETTE, LOUISIANA

MINERALS DIVISION  
DEPARTMENT OF CONSERVATION  
STATE OF LOUISIANA

WORK PERMIT

PERMIT TO Plug & Abandon DATE 1-19-59  
PARISH St. Mary FIELD Jeanerette (NC)  
COMPANY Pan Amer. Petr. Corp.  
ADDRESS P O Box 583 Lafayette, La.  
WELL NAME A. Moreel Co. Ltd. No. 1 SEC. 68 T 138 R 88  
WELL PERMIT SERIAL No. 72005 WORK PERMIT No. Abd. L 12  
LOCATION \_\_\_\_\_

YOU ARE HEREBY AUTHORIZED TO Cut off 7" OD csg. at 5000', set  
cut plug 4930'-5130', set cmt. plug 6'-56' below  
ground level, cut off csg., weld steel plate on top,  
and fill in cellar. TD 13222'

PERMIT REQUESTED BY Jack Mahan, Jr.  
Company Representative

AUTHORIZED BY \_\_\_\_\_

Lafayette

District Office

COMPANY Pan American Petr. Corp.

FARM The A. Moresi Co., Ltd. WELL No. 1 EL.

PARISH St. Mary PERMIT No. 56582

PERMIT ISSUED 9-11-58 SERIAL No. 72005

LOCATION SEC. 68 , T13S , R 8E

PERMIT RENEWED

SPUDED

COMPLETED

DATE	DEPTH	REMARKS:
Oct. 9	131	18" at 121' Dry
" 16	5050	10 <sup>3</sup> / <sub>4</sub> " at 5030
" 23	8289	Dry
" 30	10193	Dry
Nov. 6	11124	Dry
" 13	11687	Dry
" 20	12004	Testing
Dec. 6	11432	Running substock to 511' junk
" 11	11325 511	Dry
" 18	11796 511	Dry
" 30	12033 511	Dry
Jan. 8	12786 511	Dry
" 15	13222 515	Pipe stuck 12192
" 22	13222	Plugged & Abandoned 1-15-59