

Union Sulphur
Trimble #6
9-1-41

7-19-59 P&A

3-24-55 7915-20
122 BOPD 236 MCFD 0%-SW
1750# FTP Grav. 41.5

2-12-55 7915-20
57 BOPD 119 MCFD 60%-SW
1050# FTP Grav. 41.5

2-4-49 7939-42
218 BOPD 224 MCFD 0%-SW
1650# FTP Grav. 40.2

12-10-48 8017-22
75 BOPD 110 MCFD 90%-SW
450# FTP Grav. 38.8

7-15-47 8041-46
162 BOPD 675 MCFD 90%-SW
675# FTP Grav. 37.5

3-10-47 8041-46
156 BOPD 346 MCFD 75%-SW
1150# FTP Grav. 38.9

11-13-46 8041-46
173 BOPD 346 MCFD 70%-SW
1500# FTP Grav. 40.2

5-8-46 8041-46
184 BOPD 726 MCFD 75%-SW
2000# FTP Grav. 38.9

4-23-45 8041-46
108 BOPD 622 MCFD 0-BW
2400# FTP Grav. 45.3


9-17-41 8041-46
243 BOPD 322 MCFD 0-BW
1575# FTP Grav. 37.5

Marg H-1

Marg H-2

Marg H-2a

Marg H-2b



Trimble N^o6
Run N^o1
Woodlawn

First Reading. 8052
Schlumb. T.D. 8052
Drillers. T.D. 8052

